

References

1. Antzelevitch C. Cellular basis for the repolarization waves of the ECG. *Ann NY Acad Sci* 2006;1080:268–281.
2. Anyukhovsky EP, Sosunov AE, Gainullin RZ, Rosen MR. The controversial M. cell. *J Cardiovasc Electrophysiol* 1999;10:244–260.
3. Ashikaga H, Coppola BA, Hopfenfeld B, Leifer ES, McVeigh ER, Omens JH. Transmural dispersion of myofiber mechanics: implications for electrical heterogeneity in vivo. *J Am Coll Cardiol* 2007;49:909–916.
4. Ashikaga H, Criscione JC, Omens JH, Covell JW, Ingels NB Jr. Transmural left ventricular mechanics underlying torsional recoil during relaxation. *Am J Physiol Heart Circ Physiol* 2004;286:640–647.
5. Ballester-Rodes M, Flotats A, Torrent-Guasp F, Carrió-Gasset I, Ballester-Alomar M, Carreras F, Ferreira A, Narula J. The sequence of regional ventricular motion. *Eur J Cardiothorac Surg* 2006;29(Suppl 1):139–144.
6. Bell SP, Nyland L, Tischler MD, McNabb M, Granzier H, LeWinter MM. Alterations in the determinants of diastolic suction during pacing tachycardia. *Circ Res* 2000;87:235–240.
7. Beyar R, Yin FC, Hausknecht M, Weisfeldt ML, Kass DA. Dependence of left ventricular twist-radial shortening relations on cardiac cycle phase. *Am J Physiol* 1989;257:119–126.
8. Bogaert J, Rademakers FE. Regional nonuniformity of normal adult human left ventricle. *Am J Physiol Heart Circ Physiol* 2001;280:610–620.
9. Buchalter MB, Weiss JL, Rogers WJ, Zerhouni EA, Weisfeldt ML, Beyar R, Shapiro EP. Noninvasive quantification of left ventricular rotational deformation in normal humans using magnetic resonance imaging myocardial tagging. *Circulation* 1990;81:1236–1244.
10. Buckberg GD, Castella M, Gharib M, Saleh S. Active myocyte shortening during the “isovolumetric relaxation” phase of diastole is responsible for ventricular suction; “systolic ventricular filling”. *Eur J Cardiothorac Surg* 2006;29(Suppl 1):98–106.
11. Conrath CE, Opthof T. Ventricular repolarization: an overview of (patho)physiology, sympathetic effects and genetic aspects. *Prog Biophys Mol Biol* 2006;92:269–307.
12. Davis JS, Hassanzadeh S, Winitzky S, Lin H, Satorius C, Vemuri R, Aletras AH, Wen H, Epstein ND. The overall pattern of cardiac contraction depends on a spatial gradient of myosin regulatory light chain phosphorylation. *Cell* 2001;107:631–641.
13. Desplantez T, Dupont E, Severs NJ, Weingart R. Gap junction channels and cardiac impulse propagation. *J Membr Biol* 2007;218:13–28.
14. Durrer D, van Dam RT, Freud GE, Janse MJ, Meijler FL, Arzbacher RC. Total excitation of the isolated human heart. *Circulation*. 1970;41:899–912.
15. Franz MR, Bargheer K, Rafflenbeul W, Haverich A, Lichtlen PR. Monophasic action potential mapping in human subjects with normal electrocardiograms: direct evidence for the genesis of the T wave. *Circulation* 1987;75:379–386.

16. Gepstein L, Hayam G, Ben-Haim SA. A novel method for nonfluoroscopic catheter-based electroanatomical mapping of the heart. In vitro and in vivo accuracy results. *Circulation*. 1997;95:1611–1622.
17. Gepstein L, Hayam G, Ben-Haim SA. Activation-repolarization coupling in the normal swine endocardium. *Circulation* 1997;96:4036–4043.
18. Gibbons Kroeker CA, Ter Keurs HE, Knudtson ML, Tyberg JV, Beyar R. An optical device to measure the dynamics of apex rotation of the left ventricle. *Am J Physiol* 1993;265:1444–1449.
19. Glasson JR, Komeda M, Daughters GT, Foppiano LE, Bolger AF, Tye TL, Ingels NB Jr, Miller DC. Most ovine mitral annular three-dimensional size reduction occurs before ventricular systole and is abolished with ventricular pacing. *Circulation* 1997;96:II-115-122 [discussion: II-123].
20. Goetz WA, Lansac E, Lim HS, Weber PA, Duran CM. Left ventricular endocardial longitudinal and transverse changes during isovolumic contraction and relaxation: a challenge. *Am J Physiol Heart Circ Physiol* 2005;289:196–201.
21. Gorman JH, Gupta KB, Streicher J.T, Gorman RC, Jackson BM, Ratcliffe MB, Bogen DK, L. Edmunds H Jr. Dynamic three-dimensional imaging of the mitral valve and left ventricle by rapid sonomicrometry array localization. *J Thorac Cardiovasc Surg* 1996;112:712–726.
22. Hansen DE, Daughters GT, Alderman EL, Ingels NB Jr, Miller DC. Torsional deformation of the left ventricular midwall in human hearts with intramyocardial markers: regional heterogeneity and sensitivity to the inotropic effects of abrupt rate changes. *Circ Res* 1988;62:941–952.
23. Helle-Valle T, Crosby J, Edvardsen T, Lyseggen E, Amundsen BH, Smith HJ, Rosen BD, Lima JA, Torp H, Ihlen H, Smiseth OA. New noninvasive method for assessment of left ventricular rotation: speckle tracking echocardiography. *Circulation* 2005;112:3149–3156.
24. Henson RE, Song SK, Pastorek JS, Ackerman JJ, Lorenz CH. Left ventricular torsion is equal in mice and humans. *Am J Physiol Heart Circ Physiol* 2000;278:1117–1123.
25. Hooks DA, Trew ML, Caldwell BJ, Sands GB, LeGrice IJ, Smaill BH. Laminar arrangement of ventricular myocytes influences electrical behavior of the heart. *Circ Res*. 2007;101:103–112.
26. Janse MJ, Sosunov EA, Coronel R, Opthof T, Anyukhovskiy EP, de Bakker JM, Plotnikov AN, Shlapakova IN, Danilo P Jr, Tijssen JG, Rosen MR Repolarization gradients in the canine left ventricle before and after induction of short-term cardiac memory. *Circulation*.2005;112:1711–1718.
27. Kim HK, Sohn DW, Lee SE, Choi SY, Park JS, Kim YJ, Oh BH, Park YB, Choi YS. Assessment of left ventricular rotation and torsion with two-dimensional speckle tracking echocardiography. *J Am Soc Echocardiogr* 2007;20:45–53.
28. Kim B, Starc V. Continuous axial contraction wave in the free wall of the guinea pig left ventricle. *Comput Biol Med* 2007;37:1394–1397.
29. Kim, B, Starc V. The video technique developed for measuring epicardial strains on guinea pig's left ventricle. *J Biomech* 2005;38:169–173.

30. Knudtson ML, Galbraith PD, Hildebrand KL, Tyberg JV, Beyar R. Dynamics of left ventricular apex rotation during angioplasty: a sensitive index of ischemic dysfunction. *Circulation* 1997;96:801–808.
31. Korinek J, Wang J, Sengupta PP, Miyazaki C, Kjaergaard J, McMahon E, Abraham TP, Belohlavek M. Two-dimensional strain – a Doppler-independent ultrasound method for quantitation of regional deformation: validation in vitro and in vivo. *J Am Soc Echocardiogr* 2005;18:1247–1253.
32. Kucera JP, Kleber AG, Rohr S. Slow conduction in cardiac tissue, II: effects of branching tissue geometry. *Circ Res.* 1998;83:795–805.
33. Kucera JP, Rudy Y. Mechanistic insights into very slow conduction in branching cardiac tissue: a model study. *Circ Res.* 2001;89:799–806.
34. Marcelli E, Plicchi G, Cercenelli L, Bortolami F. First experimental evaluation of cardiac apex rotation with an epicardial coriolis force sensor. *ASAIO J* 2005;1:696–701.
35. Notomi Y, Lysyansky P, Setser RM, Shiota T, Popović ZB, Martin-Miklović MG, Weaver JA, Oryszak SJ, Greenberg NL, White RD, Thomas JD. Measurement of ventricular torsion by two-dimensional ultrasound speckle tracking imaging. *J Am Coll Cardiol* 2005;45:2034–2041.
36. Opthof T. In vivo dispersion in repolarization and arrhythmias in the human heart. *Am J Physiol Heart Circ Physiol* 2006;290:77–78.
37. Prinzen FW, Augustijn CH, Allessie MA, Arts T, Delhaas T, Reneman RS. The time sequence of electrical and mechanical activation during spontaneous beating and ectopic stimulation. *Eur Heart J* 1992;13:535–543.
38. Ramanathan C, Jia, P, Ghanem R, Ryu K, Rudy Y. Activation and repolarization of the normal human heart under complete physiological conditions. *Proc Natl Acad Sci USA* 2006;103:6309–6314.
39. Reckova M, Rosengarten C, de Almeida A, Stanley CP, Wessels A, Gourdie RG, Thompson RP, Sedmera D. Hemodynamics is key epigenetic factor in development of the cardiac conduction system. *Circ Res.* 2003;93:77–85.
40. Rohr S. Role of gap junctions in the propagation of the cardiac action potential. *Cardiovasc Res* 2004;62:309–322.
41. Sengupta, PP, Khandheria BK, Korinek J, Wang J, Jahangir A, Seward JB, Belohlavek M. Apex-to-base dispersion in regional timing of left ventricular shortening and lengthening. *J Am Coll Cardiol.* 2006;47:163–172.
42. Sengupta PP, Khandheria BK, Korinek J, Wang J, Belohlavek M. Biphasic tissue Doppler waveforms during isovolumic phases are associated with asynchronous deformation of subendocardial and subepicardial layers. *J Appl Physiol* 2005;99:1104–1111.
43. Shaw RM, Rudy Y. Ionic mechanisms of propagation in cardiac tissue. Roles of sodium and L-type calcium currents during reduced excitability and decreased gap junction coupling. *Circ Res.* 1997;81:727–741.

44. Stelzer JE, Larsson L, Fitzsimons DP, Moss RL. Activation dependence of stretch activation in mouse skinned myocardium: implication for ventricular function. *J Gen Physiol* 2006; 127: 95-107.
45. Sukmawan R, Watanabe N, Toyota E. Application of novel echocardiographic two-dimensional tracking system to define regional heterogeneity of radial and longitudinal myocardial strain and strain-rate. *Circulation* 2005;112:2561.
46. Taber LA, Yang M, Podszur WW. Mechanics of ventricular torsion. *J Biomech* 1996;29:745–752.
47. Taccardi B, Punske BB, Satche F, Tricoche X, Colli-Franzone P, Pavarino LF, Zabawa C. Intramural activation and repolarization sequences in canine ventricles. Experimental and simulation studies. *J Electrocardiol.* 2005;38:131–137.
48. Taggart P, Sutton P, Opthof T, Coronel R, Kallis P. Electrotonic cancellation of transmural electrical gradients in the left ventricle in man. *Prog Biophys Mol Biol* 2003;82:243–254.
49. Torrent-Guasp F, Ballester M, Buckberg GD, Carreras F, Flotats A, Carrió I, Ferreira A, Samuels LE, Narula J. Spatial orientation of the ventricular muscle band: physiologic contribution and surgical implications. *J Thorac Cardiovasc Surg* 2001;122:389–392.
50. Ueda N, Zipes DP, Wu J. Functional and transmural modulation of M cell behavior in canine ventricular wall. *Am J Physiol Heart Circ Physiol* 2004;287:2569–2575.
51. Voigt JU, Lindenmeier G, Exner B, Regenfus M, Werner D, Reulbach U, Nixdorff U, Flachskampf FA, Daniel WG. Incidence and characteristics of segmental postsystolic longitudinal shortening in normal, acutely ischemic, and scarred myocardium. *J Am Soc Echocardiogr* 2003;16:415–423.
52. Wang Y, Rudy Y. Action potential propagation in inhomogeneous cardiac tissue: safety factor consideration and ionic mechanism. *Am J Physiol Heart Circ Physiol* 2000;278:1019–1029.
53. Weidmann S. The diffusion of radiopotassium across intercalated disks of mammalian cardiac muscle. *J Physiol* 1966;187:323–342.
54. Yuan S, Kongstad O, Herterving E, Holm M, Grins E, Olsson B. Global repolarization sequence of the ventricular endocardium: monophasic action potential mapping in swine and humans. *Pacing Clin Electrophysiol* 2001;24(10):1479–1488.
55. Yue AM, Betts TR, Roberts PR, Morgan JM. Global dynamic coupling of activation and repolarization in the human ventricle. *Circulation.* 2005;112:2592–2601.
56. Zwanenburg JJ, Gotte MJ, Kuijjer JP, Heethaar RM, van Rossum AC, Marcus JT. Timing of cardiac contraction in humans mapped by high-temporal-resolution MRI tagging: early onset and late peak of shortening in lateral wall. *Am J Physiol Heart Circ Physiol* 2004;286:1872–1880.