

References

1. Aronov DM, Lupanov VP. MEDpress-inform, 2002.296 p (in Russ).
2. Radzevich AJe, Popov VV, Knjazeva MJu. *Rossiiskij kardiologicheskij zhurnal – Russian Journal of Cardiology* 2006;5:93–99.
3. Cardiovascular disease. Recommendations for the diagnosis, prevention and treatment. Morion, 2011.P.252–276.
4. Tatarinova AA, Treshkur TV, Parmon EV. *Kardiologija – Cardiology* 2011;6:45–51.
5. Трешкур ТВ, Татаринова АА, Пармон ЕВ. Вестник аритмологии 2009;58:42–51.
6. Adam DR, Powell A, Gordon H. Ventricular fibrillation and fluctuations in the magnitude of the repolarization vector. *IEEE Comput Cardiol* 1982:P.241–244.
7. Armoundas AA, Hohnloser SH, Ikeda T, Cohen RJ. Can microvolt T-wave alternans testing reduce unnecessary defibrillator implantation? *Nat Clin Pract Cardiovasc Med* 2005;10:522–528.
8. Bardy GH, Lee KL, Mark DB, Poole JE, Packer DL, Boineau R, Domanski M, Troutman Ch, Anderson J, Johnson G, McNulty SE, Clapp-Channing N, Davidson-Ray LD, Fraulo ES, Fishbein DP, Luceri RM, Ip JH. Amiodarone or an implantable cardioverter-defibrillator for congestive heart failure. *N Engl J Med* 2005;352:225–237.
9. Gold MR, Ip JH, Costantini O, Poole JE, McNulty S, Mark DB, Lee KL, Bardy GH. Role of microvolt T-wave alternans in assessment of arrhythmia vulnerability among patients with heart failure and systolic dysfunction: primary results from the T-wave alternans sudden cardiac death in heart failure trial substudy. *Circulation* 2008;118(20):2022–8.
10. Bloomfield DM, Bigger JT, Steinman RC, Namerow PB, Parides MK, Curtis AB, Kaufman ES, Davidenko JM, Shinn TS, Fontaine JM. Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction. *J Am Coll Cardiol* 2006;47:456–463.
11. Bloomfield D.M., Hohnloser S.H., Cohen R.J. Interpretation and classification of microvolt T-wave alternans tests. *J Cardiovasc electrophysiol* 2002;13:502–512.
12. Bloomfield DM, Steinman RC, Namerow PB, Parides M, Davidenko J, Kaufman ES, Shinn T, Curtis A, Fontaine J, Holmes D, Russo A, Tang C, Bigger JT. Microvolt T-wave alternans distinguishes between patients likely and patients not likely to benefit from implanted cardiac defibrillator therapy a solution to the Multicenter Automatic Defibrillator Implantation Trial (MADIT) II conundrum. *Circulation* 2004;110:1885–1889.
13. Buxton AE, Lee KL, Fisher JD, Josephson ME, Prystowsky EN, Hafley G. A randomized study of the prevention of sudden death in patients with coronary artery disease Multicenter Unsustained Tachycardia Trial (MUSTT). *N Engl J Med* 1999;341:1882–1890.
14. Center for Medicare and Medicaid Services. Medicare Announces Its Intention to Expand Coverage of Implantable Cardioverter Defibrillators, 2005. Available at: <http://www.cms.hhs.gov/mcd/viewdecisionmemo.asp?id=148>.

15. Cheung MMH, Davis AM, Cohen RJ, Wilkinson JL. T wave alternans threshold in normal children. *J Cardiovasc Electrophysiol* 2001;12:424–427.
16. Chinushi M, Restivo M, Caref EB, El-Sherif N. Electrophysiological basis of arrhythmogenicity of QT/T alternans in the long QT syndrometric multidimensional analysis of the kinetics of cardiac repolarization. *Circ Res* 1998;83:614–628.
17. Chow T. MASTER I: Disappointment for T-Wave Alternans Testing. American Heart Association 2007, Scientific Sessions, November 7, 2007 (Orlando, FL). Available at URL address <http://www.theheart.org/article/825631>.
18. Chow T, Kereiakes DJ, Bartone C, Booth T, Schloss EJ, Waller T, Chung ES, Menon S, Nallamothu BK, Chan PS. Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy. *J Am Coll Cardiol* 2006;47:1820–1827.
19. Chow T, Kereiakes DJ, Bartone C, Booth T, Schloss EJ, Waller T, Chung E, Menon S, Nallamothu BK, Chan PS. Microvolt T-wave alternans identifies patients with ischemic cardiomyopathy who benefit from implantable cardioverter-defibrillator therapy. *J Am Coll Cardiol*. 2007;49(1):50–58.
20. Costantini O., Rosenbaum D. Progress in Clinical Trials. *Clin. Cardiol* 2007;30:97–100.
21. Cruz Filho FE, Maia IG, Fagundes ML, Barbosa RC, Alves PA, Sá RM, Boghossian SH, Ribeiro JC. Electrical behavior of T-wave polarity alternans in patients with congenital long QT syndrome. *J Am Coll Cardiol* 2000;36:167.
22. Fabre A, Sheppard MN. Sudden adult death syndrome and other nonischemic causes of sudden cardiac death. *Heart* 2006;92:316–320.
23. Gehi AK, Stein RH, Metz LD, Gomes JA. Microvolt T-wave alternans for risk stratification of ventricular tachyarrhythmic events a meta-analysis. *J Am Coll Cardiol* 2005;46:75–82.
24. GKraaier K, McCracken T, van der Palen. Is T-wave alternans testing feasible in candidates for prophylactic implantable defibrillators? *Neth Heart J* 2011;19(1):6–9.
25. Gold MR, Bloomfield DM, Anderson KP, El-Sherif NE, Wilber DJ, Groh WJ, Estes NA 3rd, Kaufman ES, Greenberg ML, Rosenbaum DS. A comparison of T-wave alternans, signal averaged electrocardiography and programmed ventricular stimulation for arrhythmia risk stratification. *J Am Coll Cardiol* 2000;36:2247–2253.
26. Grimm W, Liedtke J, Muller H-H. Prevalence of potential noninvasive arrhythmia risk predictors in healthy, middle-aged persons. *Ann Noninv Electrocardiol* 2003;8:37–46.
27. Grimm W, Christ M, Bach J, Müller HH, Maisch B. Noninvasive arrhythmia risk stratification in idiopathic dilated cardiomyopathy. Results of the Marburg Cardiomyopathy Study. *Circulation* 2003;108:2883–2891.
28. Hohnloser SH, Ikeda T, Bloomfield DM, Dabbous OH, Cohen RJ. T wave alternans negative coronary patients with low ejection and benefit from defibrillator implantation. *Lancet* 2003;362:125–126.

29. Hohnloser SH, Klingenheben T, Bloomfield D, Dabbous O, Cohen RJ. Usefulness of microvolt T-wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy results from a prospective observational study. *J Am Coll Cardiol* 2003;41:2220–2224
30. Hohnloser SH, Kuck KH, Dorian P, Roberts RS, Hampton JR, Hatala R, Fain E, Gent M, Connolly SJ. Prophylactic use of an implantable cardioverter-defibrillator after acute myocardial infarction. *N Engl J Med* 2004;351:2481–2488.
31. Hohnloser SH, Cohen RJ. Microvolt T-wave alternans testing should be used to guide arrhythmic therapy in heart failure patients. *Eur J Heart Fail* 2012;14(6):677–678.
32. Ikeda T, Yoshino H, Sugi K, Tanno K, Shimizu H, Watanabe J, Kasamaki Y, Yoshida A, Kato T. T-wave alternans as a predictor for sudden cardiac death after myocardial infarction. *Am J Cardiol* 2002;89:79–82.
33. Ikeda T, Sakurada H, Sakabe K, Sakata T, Takami M, Tezuka N, Nakae T, Noro M, Enjoji Y, Tejima T, Sugi K, Yamaguchi T. Assessment of noninvasive markers in identifying patients at risk in the Brugada syndrome insight into risk stratification. *J Am Coll Cardiol* 2001;37:1628–1634.
34. Ikeda T, Yoshino H, Sugi K, Tanno K, Shimizu H, Watanabe J, Kasamaki Y, Yoshida A, Kato T. Predictive value of microvolt T-wave alternans for sudden cardiac death in patients with preserved cardiac function after acute myocardial infarction: results of a collaborative cohort study. *J Am Coll Cardiol* 2006;48(11):2268–74.
35. Kitamura H, Ohnishi Y, Okajima K, Ishida A, Galeano E, Adachi K, Yokoyama M. Onset heart rate of microvolt-level T-wave alternans provides clinical and prognostic value in nonischemic dilated cardiomyopathy. *J Am Coll Cardiol* 2002;39:295–300.
36. Klingenheben T. Microvolt T-Wave Alternans for Arrhythmia Risk Stratification in Left Ventricular Dysfunction. *J Am Coll Cardiol* 2007;50:174–175.
37. Klingenheben T, Ptaszynski P, Hohnloser SH. Quantitative assessment of microvolt T-wave alternans in patients with congestive heart failure. *J Cardiovasc Electrophysiol* 2005;16(6):620–624.
38. Klingenheben T, Zabel M, D'Agostino RB, Cohen RJ, Hohnloser SH. Predictive value of T-wave alternans for arrhythmic events in patients with congestive heart failure. *Lancet* 2000;356:651–652.
39. Kon-No Y, Watanabe J, Koseki Y, Koyama J, Yamada A, Toda S, Shinozaki T, Fukuchi M, Miura M, Kagaya Y, Shirato K. Microvolt T-wave alternans in human hypertrophyelectrical instability and abnormal myocardial arrangement. *J Cardiovasc Electrophysiol* 2001;12:759–763.
40. Kop WJ, Krantz DS, Nearing BD, Gottdiener JS, Quigley JF, O'Callahan M, DelNegro AA, Friehtling TD, Karasik P, Suchday S, Levine J, Verrier RL. Effects of acute mental stress and exercise on T-wave alternans in patients with implantable cardioverter defibrillators and controls. *Circulation* 2004;109:1864–1869.
41. Kuroda N, Ohnishi Y, Yoshida A, Kimura A, Yokoyama M. Clinical significance of T-wave alternans in hypertrophic cardiomyopathy. *Circ J* 2002;66(5):457–462.

42. Momiyama Y, Hartikainen J, Nagayoshi H, Albrecht P, Kautzner J, Saumarez RC, McKenna WJ, Camm AJ. Exercise-induced T-wave alternans as a marker of high risk in patients with hypertrophic cardiomyopathy. *Jpn Circ J* 1997;61:650–656.
43. Morita H, Morita ST, Nagase S, Banba K, Nishii N, Tani Y, Watanabe A, Nakamura K, Kusano KF, Emori T, Matsubara H, Hina K, Kita T, Ohe T. Ventricular arrhythmia induced by sodium channel blocker in patients with Brugada syndrome. *J Am Coll Cardiol* 2003;42:1624–1631.
44. Moss AJ, Hall WJ, Cannom DS, Daubert JP, Higgins SL, Klein H, Levine JH, Saksena S, Waldo AL, Wilber D, Brown MW, Heo M. Improved survival with an implanted defibrillator in patients with coronary disease at high risk for ventricular arrhythmia. *N Engl J Med* 1996;335:1933.
45. Moss AJ, Zareba W, Hall WJ, Klein H, Wilber DJ, Cannom DS, Daubert JP, Higgins SL, Brown MW, Andrews ML. Prophylactic implantation of a defibrillator in patients with myocardial infarction and reduced ejection fraction. *N Engl J Med* 2002;346:877–883.
46. Myerburg RJ. Sudden Cardiac Death: Exploring the Limits of Our Knowledge. *J Cardiovasc Electrophysiol* 2001;12:369–381.
47. Narayan SM. T-Wave Alternans and the Susceptibility to Ventricular Arrhythmias. *J Am Coll Cardiol* 2006;47:269–281.
48. Narayan SM, Lindsay BD, Smith JM. Demonstrating the pro-arrhythmic preconditioning of single premature extrastimuli using the magnitude, phase and temporal distribution of repolarization alternans. *Circulation* 1999;100:1887–1893.
49. Narayan SM, Smith JM, Schechtman KB, Lindsay BD, Cain ME. Twave alternans phase following ventricular extrasystoles predicts arrhythmia-free survival. *Heart Rhythm* 2005;2:234–241.
50. Nearing BD, Verrier RL. Modified moving average analysis of T-wave alternans to predict ventricular fibrillation with high accuracy. *J. Appl. Physiol* 2002;92:541–549.
51. Nearing BD, Huang AH, Verrier RL. Dynamic tracking of cardiac vulnerability by complex demodulation of the T-wave. *Science* 1991;252:437–440.
52. Nemeč J, Ackerman MJ, Tester DJ, Hejlik J, Shen WK. Catecholamine-provoked microvoltage T wave alternans in genotyped long QT syndrome Pacing. *Clin Electrophysiol* 2003;26:1660–1667.
53. Nieminen T, Lehtimäki T, Viik J, Lehtinen R, Nikus K, Kööbi T, Niemelä K, Turjanmaa V, Kaiser W, Huhtala H, Verrier RL, Huikuri H, Kähönen M. T-wave alternans predicts mortality in a population undergoing a clinically indicated exercise test. *Eur Heart J* 2007;28:2332–2337.
54. Rashba EJ, Osman AF, MacMurdy K, Kirk MM, Sarang S, Peters RW, Shorofsky SR, Gold MR. Influence of QRS duration on the prognostic value of T wave alternans. *J Cardiovasc Electrophysiol* 2002;13:770–775.
55. Reynolds MR, Josephson ME. MADIT II (second Multicenter Automated Defibrillator Implantation Trial) debaterisk stratification, costs, and public policy. *Circulation* 2003;108:1779–1783.

56. Rosenbaum DS, Jackson LE, Smith JM, Garan H, Ruskin JN, Cohen RJ. Electrical alternans and vulnerability to ventricular arrhythmias. *N Engl J Med* 1994;330:235–241.
57. Salerno-Uriarte JA, De Ferrari GM, Klersy C, Pedretti RF, Tritto M, Sallusti L, Libero L, Pettinati G, Molon G, Curnis A, Occhetta E, Morandi F, Ferrero P, Accardi F. Prognostic Value of T-Wave Alternans in Patients With Heart Failure Due to Nonischemic Cardiomyopathy. Results of the ALPHA Study. *J Am Coll Cardiol* 2007;50:1896–1904.
58. Saul JP, Arai Y, Berger RD, Lilly LS, Colucci WS, Cohen RJ. Assessment of autonomic regulation in chronic congestive heart failure by heart rate spectral analysis. *Am. J. Cardiol* 1998;61:1292–1299.
59. Schwab JO, Weber S, Schmitt H, Steen-Mueller MK, Coch M, Tillmanns H, Becker M, Lenzen C, Waldecker B. Incidence of T wave alternation after acute myocardial infarction and correlation with other prognostic parameters results of a prospective study. *Pacing Clin Electrophysiol* 2001;24:957–961.
60. Schwartz JP, Malliani A. Electrical alternation of the T-wave: clinical and experimental evidence of its relationship with sympathetic nervous system and with the long QT syndrome. *Am. J. Cardiol* 1975;89:45–50.
61. Smith JM, Clancy EA, Valeri CR, Ruskin JN, Cohen RJ. Electrical alternans and cardiac electrical instability. *Circulation* 1988;77:110–121.
62. Takagi M., Yoshikawa J. T-wave alternans and ventricular tachyarrhythmia risk stratification : a review. *Indian pacing Electrophysiol. J* 2003;3:67–73.
63. Tanno K, Ryu S, Watanabe N, Minoura Y, Kawamura M, Asano T, Kobayashi Y, Katagiri T. Microvolt T-wave alternans as a predictor of ventricular tachyarrhythmias. A prospective study using atrial pacing. *Circulation* 2004;109:1854–1858.
64. Tapanainen JM, Still AM, Airaksinen KE, Huikuri HV. Prognostic significance of risk stratifiers of mortality, including T wave alternans, after acute myocardial infarction results of a prospective follow-up study. *J Cardiovasc Electrophysiol* 2001;12:645–652.
65. U.S. Food and Drug Administration (FDA). Center for Devices and Radiological Health (CDRH). Available at URL address: <http://www.fda.gov/cdrh/pdf5/k050225.pdf>.
66. Verrier RL, Nearing BD, La Rovere MT, Pinna GD, Mittleman MA, Bigger JT Jr, Schwartz PJ. Ambulatory electrocardiogram-based tracking of T wave alternans in postmyocardial infarction patients to assess risk of cardiac arrest or arrhythmic events. *J Cardiovasc Electrophysiol* 2003;14:705–711.
67. Weber S, Tillmanns H, Waldecker B. Prevalence of T wave alternans in healthy subjects. *Pacing Clin Electrophysiol* 2003;26:49–52.
68. Zimetbaum PJ, Buxton AE, Batsford W, Fisher JD, Hafley GE, Lee KL, O'Toole MF, Page RL, Reynolds M, Josephson ME. Electrocardiographic predictors of arrhythmic death and total mortality in the Multicenter Unsustained Tachycardia Trial. *Circulation* 2004;110:766–769.

69. Zipes DP, Camm AJ, Borggrefe M, Buxton AE, Chaitman B, Fromer M, Gregoratos G, Klein G, Moss AJ, Myerburg RJ, Priori SG, Quinones MA, Roden DM, Silka MJ, Tracy C, Blanc JJ, Budaj A, Dean V, Deckers JW, Despres C, Dickstein K, Lekakis J, McGregor K, Metra M, Morais J, Osterspey A, Tamargo JL, Zamorano JL, Smith SC Jr, Jacobs AK, Adams CD, Antman EM, Anderson JL, Hunt SA, Halperin JL, Nishimura R, Ornato JP, Page RL, Riegel B. ACC/AHA/ESC PRACTICE GUIDELINES ACC/AHA/ESC 2006 Guidelines for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death. *JACC* 2006;48(5):247–346.