

References

1. Mintser OP, Voronenko YuV, Vlasov VV.K.:Vyshcha shkola, 2003.350p.
2. Alessandri N, Mariani S, Ciccaglioni A, Messina FR, Gaudio C, Rondoni G, Parlapiano C. Thrombus formation in the left atrial appendage in the course of atrial fibrillation. *European Review for Medical and Pharmacological Sciences*. 2003;7:65–73.
3. Al-Saady N, Obel O, Camm A. Left atrial appendage: structure, function, and role in thromboembolism. *Heart*. 1999;82:547–554.
4. Ayirala S, Kumar S, O'Sullivan D, Silverman D. Echocardiographic predictors of left atrial appendage thrombus formation. *J Am Soc Echocardiogr*. 2011;24:499–505.
5. Black I. Spontaneous echo contrast: where there's smoke there's fire. *Echocardiography*. 2000;17:373–382.
6. Blume G, Mcleod C, Barnes M. Left atrial function: physiology, assessment, and clinical implications. *Eur J Echocardiogr*. 2011;12:421–430.
7. Camm AJ, Kirchhof P, Lip GY, Schotten U, Savelieva I, Ernst S, Van Gelder IC, Al-Attar N, Hindricks G, Prendergast B, Heidbuchel H, Alfieri O, Angelini A, Atar D, Colonna P, De Caterina R, De Sutter J, Goette A, Gorenek B, Heldal M, Hohloser SH, Kolh P, Le Heuzey JY, Ponikowski P, Rutten FH. Guidelines for the management of atrial fibrillation. *European Heart Journal*. 2010;31:2369–2429.
8. Carerj S, Trifiró MP, Granata A, Luzzza F, Arrigo F, Oreto G. Comparison between Transesophageal Echocardiography and Transthoracic Echocardiography with Harmonic Tissue Imaging for Left Atrial Appendage Assessment. *Clin. Cardiol*. 2002;25:268–270.
9. De Luca I, Colonna P, Sorino M, Del Salvatore B, De Luca L. New Monodimensional Transthoracic Echocardiographic Sign of Left Atrial Appendage Function. *J Am Soc Echocardiogr*. 2007;20:324–332.
10. Donal E, Yamada H, Leclercq C, Herpin D. The Left Atrial Appendage, a Small, Blind-Ended Structure. A Review of Its Echocardiographic Evaluation and Its Clinical Role. *Chest*. 2005;128:1853–1862.
11. Doukky R, Khandelwal A, Garcia-Sayan E, Gage H. External validation of a novel transthoracic echocardiographic tool in predicting left atrial appendage thrombus formation in patients with nonvalvular atrial fibrillation *Eur Heart J Cardiovasc Imaging*. 2013. – <http://ehjci.oxfordjournals.org/content/early/2013/01/04/ehjci.jes313.full.pdf+html?sid=fe6896d3-d344-47d6-a25b-2598d0daf0b8>.
12. Fatkin D, Kelly R, Feneley M. Relations between left atrial appendage blood flow velocity, spontaneous echocardiographic contrast and thromboembolic risk in vivo. *J. Am. Coll. Cardiol*. 1994;23:961–969.
13. Flachskampf F, Badano L, Daniel W. [Recommendations for transoesophageal echocardiography: update 2010. *European Journal of Echocardiography*. 2010;11:557–576.
14. Flachskampf F, Decoodt P, Fraser A. Recommendations for Performing Transoesophageal Echocardiography. Guidelines From the Working Group. *Eur J Echocardiography*. 2001;2:8–21.

15. Fukuda N, Shinohara H, Sakabe K. Transthoracic Doppler echocardiographic measurement of left atrial appendage blood flow velocity: comparison with transoesophageal measurement. *Eur J Echocardiogr.* 2003;4:191–195.
16. Gurlertop Y, Yilmaz M, Acikel M. The Use of Anatomic M-Mode Echocardiography to Determine the Left Atrial Appendage Functions in Patients with Sinus Rhythm. *Echocardiography.* 2005;22:99–103.
17. Hosmer D. Jr. , Lemeshow S., Sturdivant R. Applied Logistic Regression (Wiley Series in Probability and Statistics). Wiley, 2013.528 p.
18. Lang R, Bierig M, Devereux R. Recommendations for chamber quantification: A report from the American Society of Echocardiography's Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European association of echocardiography, a Branch of the European Society of Cardiology. *J Am Soc Echocardiogr.* 2005;18:1440–1457.
19. Mügge A, Kühn H, Nikutta P, Grote J, Lopez JA, Daniel WG. Assessment of left atrial appendage function by biplane transesophageal echocardiography in patients with nonrheumatic atrial fibrillation: identification of a subgroup of patients at increased embolic risk. *J Am Coll Cardiol.* 1994;23:599–607.
20. Nagueh SF, Appleton CP, Gillebert TC. Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography. *J Am Soc Echocardiogr* 2009;22:107–133.
21. Omran H, Jung W, Rabahieh R, Wirtz P, Becher H, Illien S, Schimpf R, Luderitz B. Imaging of thrombi and assessment of left atrial appendage function: a prospective study comparing transthoracic and transoesophageal echocardiography. *Heart.* 1999;81:192–198.
22. Quinones M, Otto C, Stoddard M. Recommendations for Quantification of Doppler Echocardiography: A Report From the Doppler Quantification Task Force of the Nomenclature and Standards Committee of the American Society of Echocardiography. *J Am Soc Echocardiogr.* 2002;15:167–184.
23. Sahin T, Ural D, Kilic T. Evaluation of left atrial appendage functions according to different etiologies of atrial fibrillation with a tissue Doppler imaging technique by using transesophageal echocardiography. *Echocardiography.* 2009;26:171–181.
24. Sallach J, Puwanant S, Drinko J. Comprehensive left atrial appendage optimization of thrombus using surface echocardiography: the CLOTS multicenter pilot trial. *J Am Soc Echocardiogr.* 2009;22:1165–1172.
25. Tamura H, Watanabe T, Hirono O, Nishiyama S, Sasaki S, Shishido T, Miyashita T, Miyamoto T, Nitobe J, Kayama T, Kubota I. Low wall velocity of left atrial appendage measured by trans-thoracic echocardiography predicts thrombus formation caused by atrial appendage dysfunction. *J Am Soc Echocardiogr.* 2010;23:545–552.
26. Uretsky S, Shah A, Bangalore S, Rosenberg L, Sarji R, Cantales DR, Macmillan-Marotti D, Chaudhry FA, Sherrid MV. Assessment of left atrial appendage function with transthoracic tissue Doppler echocardiography. *Eur J Echocardiogr.* 2009;10:363–371.

27. Vendrametto F, Zeppellini R, de Domenico R. Recommendations for Performing Transoesophageal Echocardiography. Guidelines From the Working Group. *Ital. Heart J.* 2002;3(Suppl. 4.):433–439.
28. Vizzardi E, D'Aloia A, Rocco E, Lupi L, Rovetta R, Quinzani F, Bontempi L, Curnis Md A, Dei Cas L. How should we measure left atrium size and function? *J Clin Ultrasound.* 2012;40:155–166.