

References

1. Valucina VM, Cherkesov VV, Perederiy GS. Comprehensive prevention of sudden death, myocardial infarction, stroke and their effects in miners mines. *Guidelines* (Kyiv); 2008;31 p. (in Ukr).
2. Zharinov OY, Bobrova OV, Verezhnikova GP. Evaluation and modification of risk of cardiovascular complications in patients with hypertension. *Guidelines* (Kyiv);2009;18 p. (in Ukr).
3. Mukhin VV, Perederiy GS, Kharkovenko NM. Level, the structure and dynamics of the combined forms of occupational diseases in miners of the coal mines of Donetsk region. *Occupational health and industrial Ecology* 2003;6:11–13 (in Russ).
4. Torshin YU, Gromova OA. Vascular diseases of the heart, brain and molecular genes, part 3: molecular role of genes in vasoconstriction, vasodilation, and electrolyte metabolism in vascular remodeling. *Journal "Difficult patient"* 2008;5:6–9 (in Russ).
5. Chen Y, Nakura J, Jin JJ. Association of the GNAS1 gene variant with hypertension is dependent on alcohol consumption. *Hypertension Res* 2003; 26(6):439–44.
6. Van Geel PP, Pinto YM, Voors AA, Buikema H. Angiotensin II type 1 receptor A1166C gene polymorphism is associated with an increased response to angiotensin II in human arteries. *Hypertension* 2000;35(7):717–21.
7. Gillman M, Kannel W, Belanger A, Agostino RD. Influence of heart rate on mortality among persons with hypertension: The Framingham study. *Am Heart J* 1993;125:1148–54.
8. Ishikawa SI, Kayaba K, Gotoh T. Human G – protein beta -3 subunit variant is associated with serum potassium and total cholesterol levels but not with blood pressure. *Circulation* 2007;27:26–31.
9. Koskela RS, Mutanen P, Sorsa JA, Klockars M. Respiratory disease and cardiovascular morbidity. *Occup Environment Med* 2005;62: 650–5.
10. Kozak M, Izakovicova Holla L, Krivan L. Endothelin_1 gene polymorphism in patients with malignant arrhythmias. *J Cardiovascular Pharmacol* 2007;44:92–5.
11. Kurland L, Melhus H, Karlsson G, Kahan T. Angiotensin converting enzyme gene polymorphism predicts blood pressure response to angiotensin II receptor type 1 antagonist treatment in hypertensive patients. *J Hypertens* 2001;19(10.):1783–7.
12. Levine TB, Francis GS, Goldsmith SR. Activity of the sympathetic nervous system and renin-angiotensin system assessed by plasma hormone levels and their relation to hemodynamic abnormalities in congestive heart failure. *Am J Cardiol* 1982;49:1659–66.
13. Meirhaeghe A, Bauters C, Helbecque N. The human G protein beta 3 subunit C825T polymorphism is associated with coronary artery vasoconstriction. *Eur Heart J* 2001;22:845–8.
14. Metcalfe BL, Huentelman MJ, Parilak LD. Prevention of cardiac hypertrophy by angiotensin II type-2 receptor gene transfer. *Hypertens* 2004; 43:1233–8.

15. Sobstyl J, Dzida G, Puzniak A. Analysis of association of human endothelial nitric oxide synthase gene polymorphism with myocardial infarction. *Pol Merkur Lekarski* 2002;13(73.):10–3.