

References

1. Aliti GB, Rabelo ER, Clausell N, et al. Aggressive fluid and sodium restriction in acute decompensated heart failure a randomized clinical trial. *JAMA Intern Med* 2013;173:1058–64.
2. Al-Mohammad A, Mant J. The diagnosis and management of chronic heart failure: review following the publication of the NICE guidelines. *Heart* 2011;97:411–6.
3. Banner NR, Bonser RS, Clark AL, et al. UK guidelines for referral and assessment of adults for heart transplantation. *Heart* 2011;97:1520–7.
4. Bohm M, Borer J, Ford I, et al. Heart rate at baseline influences the effect of ivabradine on cardiovascular outcomes in chronic heart failure: analysis from the SHIFT study. *Clin Res Cardiol* 2013;102:11–22.
5. Castagno D, Petrie MC, Claggett B, et al. Should we SHIFT our thinking about digoxin? Observations on ivabradine and heart rate reduction in heart failure. *Eur Heart J* 2012;33:1137–41.
6. Chemaly ER, Hajjar RJ, Lipskaia L. Molecular targets of current and prospective heart failure therapies. *Heart* 2013;99:992–1003.
7. Cleland JG, Clark AL. Heart failure—does it matter whether LVEF is reduced? *Lancet* 2012;80:1363–5.
8. Costanzo MR, Guglin ME, Saltzberg MT, et al. Ultrafiltration versus intravenous diuretics for patients hospitalized for acute decompensated heart failure. *J Am Coll Cardiol* 2007;49:675–83.
9. Curtis AB, Worley SJ, Adamson PB, et al. Biventricular versus Right Ventricular Pacing in Heart Failure Patients with Atrioventricular Block (BLOCK HF) Trial Investigators. Biventricular pacing for atrioventricular block and systolic dysfunction. *N Engl J Med* 2013;368:1585–93.
10. Deyell MW, Qi A, Chakrabarti S, et al. Prognostic impact of inappropriate defibrillator shocks in a population cohort. *Heart* 2013;99:1250–5.
11. Edelmann F, Wachter R, Schmidt AG, et al. Effect of spironolactone on diastolic function and exercise capacity in patients with heart failure with preserved ejection fraction: the Aldo-DHF randomized controlled trial. *JAMA* 2013;309:781–91.
12. Frohlich GM, Holzmeister J, Hubler M, et al. Prophylactic implantable cardioverter defibrillator treatment in patients with end-stage heart failure awaiting heart transplantation. *Heart* 2013;99:1158–65.
13. Gheorghiade M, Albaghdadi M, Zannad F, et al. Rationale and design of the multicentre, randomized, double-blind, placebo-controlled Aliskiren Trial on Acute Heart Failure Outcomes (ASTRONAUT). *Eur J Heart Fail* 2011;13:100–6.
14. Gheorghiade M, Bohm M, Greene SJ, et al. Effect of aliskiren on postdischarge mortality and heart failure readmissions among patients hospitalized for heart failure: the ASTRONAUT randomized trial. *JAMA* 2013;309:1125–35.

15. Goldacre B. Are clinical trial data shared sufficiently today? No. *BMJ* 2013;347:f1880.
16. Hardman SM. Ivabradine in heart failure: NICE guidance. *Heart* Published Online First: 18 June 2013. <http://heart.bmj.com/content/early/2013/06/17/heartjnl-2012-303490.full.pdf+html?sid=29e1ec6a-5827-4d48-95ac-87be0a60b7c6>
17. Hauptman PJ, Schwartz PJ, Gold MR, et al. Rationale and study design of the increase of vagal tone in heart failure study: INOVATE-HF. *Am Heart J* 2012;163:954–62.
18. Hawkins NM, Petrie MC, Burgess MI, et al. Selecting patients for cardiac resynchronization therapy: the fallacy of echocardiographic dyssynchrony. *J Am Coll Cardiol* 2009;53:1944–59.
19. Heidenreich PA, Albert NM, Allen LA, et al. Forecasting the impact of heart failure in the United States: a policy statement from the American Heart Association. *Circ Heart Fail* 2013;6:606–19.
20. Holland R, Battersby J, Harvey I, et al. Systematic review of multidisciplinary interventions in heart failure. *Heart* 2005;91:899–906.
21. <http://www.novartis.com/newsroom/media-releases/en/2013/1711047.shtml> (accessed 2 Jul 2013).
22. Krum H, Massie B, Abraham WT, et al. Direct renin inhibition in addition to or as an alternative to angiotensin converting enzyme inhibition in patients with chronic systolic heart failure: rationale and design of the Aliskiren Trial to Minimize OutcomeS in Patients with HEart failuRE (ATMOSPHERE) study. *Eur J Heart Fail* 2011;13:107–14.
23. Makkar RR, Smith RR, Cheng K, et al. Intracoronary cardiosphere-derived cells for heart regeneration after myocardial infarction (CADUCEUS): a prospective, randomised phase 1 trial. *Lancet* 2012;379:895–904.
24. McMurray JJ, Abraham WT, Dickstein K, et al. ALTITUDE, and the implications for ATMOSPHERE. *Eur J Heart Fail* 2012;14:341–3.
25. McMurray JJ, Adamopoulos S, Anker SD, et al. ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. *Eur Heart J* 2012;33:1787–847.
26. McMurray JJ, Pitt B, Latini R, et al. Effects of the oral direct renin inhibitor aliskiren in patients with symptomatic heart failure. *Circ Heart Fail* 2008;1:17–24.
27. Moss AJ, Schuger C, Beck CA, et al. Reduction in inappropriate therapy and mortality through ICD programming. *N Engl J Med* 2012;367:2275–83.
28. Mostofsky E, Rice MS, Levitan EB, et al. Habitual coffee consumption and risk of heart failure: a dose-response meta-analysis. *Circ Heart Fail* 2012;5:401–5.
29. Mullens W, Verga T, Grimm RA, et al. Persistent hemodynamic benefits of cardiac resynchronization therapy with disease progression in advanced heart failure. *J Am Coll Cardiol* 2009;53:600–7.

30. National Heart Failure Audit April 2011–March 2012. National Centre for Cardiovascular Prevention and Outcomes, University College London, 2012. <https://www.ucl.ac.uk/nicor/audits/heartfailure/additionalfiles/pdfs/annualreports/annual12.pdf>
31. National Institute for Health and Care Excellence. Chronic heart failure quality standard: QS9. London, 2011.
32. National Institute for Health and Care Excellence. Chronic heart failure. Clinical guideline 108. London, 2010.
33. National Institute for Health and Care Excellence. Ivabradine in chronic heart failure. 2012. <http://www.nice.org.uk/TA267>
34. Packer M, Colucci W, Fisher L, et al. Effect of levosimendan on the short-term clinical course of patients with acutely decompensated heart failure. *JACC Heart Fail* 2013;1:103–11.
35. Pandor A, Gomersall T, Stevens JW, et al. Remote monitoring after recent hospital discharge in patients with heart failure: a systematic review and network metaanalysis. *Heart*. Published Online First: 16 May 2013. <http://heart.bmj.com/content/early/2013/05/15/heartjnl-2013-303811.full.pdf+html?sid=25776cbc-1e08-4e6fab1-638828de7d98>
36. Parving HH, Brenner BM, McMurray JJ, et al. Cardiorenal end points in a trial of aliskiren for type 2 diabetes. *N Engl J Med* 2012;367:2204–13.
37. Phelan D, Thavendiranathan P, Collier P, et al. Aldosterone antagonists improve ejection fraction and functional capacity independently of functional class: a meta-analysis of randomised controlled trials. *Heart* 2012;98:1693–700.
38. Poole JE, Johnson GW, Hellkamp AS, et al. Prognostic importance of defibrillator shocks in patients with heart failure. *N Engl J Med* 2008;359:1009–17.
39. Schwartz PJ, De Ferrari GM, Sanzo A, et al. Long term vagal stimulation in patients with advanced heart failure: first experience in man. *Eur J Heart Fail* 2008;10:884–91.
40. Schwartz PJ. Vagal stimulation for the treatment of heart failure: a translational success story. *Heart* 2012;98:1687–9.
41. Shah AS, Langrish JP, Nair H, et al. Global association of air pollution and heartfailure: a systematic review and meta-analysis. *Lancet* Published Online First: 9 July 2013. doi:10.1016/S0140-6736(08)61345-8
42. Solomon SD, Zile M, Pieske B, et al. The angiotensin receptor neprilysin inhibitor LCZ696 in heart failure with preserved ejection fraction: a phase 2 double-blind randomised controlled trial. *Lancet* 2012;380:1387–95.
43. Swedberg K, Komajda M, Bohm M, et al. Ivabradine and outcomes in chronic heart failure (SHIFT): a randomised placebo-controlled study. *Lancet* 2010;376:875–85.
44. Takeda A, Taylor SJ, Taylor RS, et al. Clinical service organisation for heart failure. *Cochrane Database Syst Rev* 2012;9:CD002752.

45. Tang AS, Wells GA, Talajic M, et al. Cardiac-resynchronization therapy for mild-to-moderate heart failure. *N Engl J Med* 2010;363:2385–95.
46. Teerlink JR, Cotter G, Davison BA, et al. Serelaxin, recombinant human relaxin-2, for treatment of acute heart failure (RELAX-AHF): a randomised, placebo-controlled trial. *Lancet* 2013;381:29–39.
47. Teerlink JR, Metra M, Felker GM, et al. Relaxin for the treatment of patients with acute heart failure (Pre RELAX AHF): a multicentre, randomised, placebo-controlled, parallel-group, dose-finding phase IIb study. *Lancet* 2009;373:1429–39.
48. Thomas R, Huntley A, Mann M, et al. Specialist clinics for reducing emergency admissions in patients with heart failure: a systematic review and meta-analysis of randomised controlled trials. *Heart* 2013;99:233–9.
49. Verbrugge FH, Dupont M, Vercammen J, et al. Time from emerging heart failure symptoms to cardiac resynchronisation therapy: impact on clinical response. *Heart* 2013;99:314–19.
50. Witte KK. Cardiac resynchronisation therapy for chronic heart failure: predicting and measuring ‘response’. *Heart* 2013;99:293–4.
51. Yancy CW, Jessup M, Bozkurt B, et al. 2013 ACCF/AHA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*. Published Online First: 5 June 2013. <http://circ.ahajournals.org/content/early/2013/06/03/CIR.0b013e31829e8776.long>