

References

1. Avramenko OE. VAC RF – Higher Attestation Commission of Russian Federation 2010.24 p. (in Russ)
2. Sirenko YM, Mankovsky BM. *Chetverta chvyliia* 2004.174 p. (in Ukr)
3. Schmidt EA, Barabasc OL, Berns SA. *Cytokiny i vospalenie – Cytokines and inflammation* 2012;11(1):49–54. (in Russ)
4. Aref S, Sakrana M, Hafez AA, Hamdy M. Soluble P-selectin levels in diabetes mellitus patients with coronary artery disease. *Hematology* 2005;10 (3):183–7.
5. Bednarska-Chabowska D, Adamiec R, Adamiec J. The Contribution of the Selected Adhesion Molecules to the Pathogenesis of the Endothelium Injury at the Diabetes and Arterial Hypertension Patients. *Arterial Hypertens* 2002;2(4):22–4.
6. Blankenberg S, Barbaux S, Tiret L. Adhesion molecules and atherosclerosis. *Atherosclerosis* 2003;170:191.
7. Blann AD, Faragher EB, McCollum CN. Increased soluble P-selectin following myocardial infarction: a new marker for the progression of atherosclerosis. *Blood Coagul Fibrinolysis* 1997;8 (7):383–90.
8. Glowinska B, Urban M, Peczynska J, Florys B. Soluble adhesion molecules (sICAM-1, sVCAM-1) and selectins (sE selectin, sP selectin, sLselectin) levels in children and adolescents with obesity, hypertension, and diabetes. *Metabolism* 2005;54 (8):1020–6.
9. Gurbel PA, Serebruany VL. Adhesion molecules, platelet activation, and cardiovascular risk. *Am Heart J.* 2002;143(2):196–8.
10. Iwamoto M, Mizuiri S, Arita M, Hemmi H. Nuclear factor-kappaB activation in diabetic rat kidney: evidence for involvement of P-selectin in diabetic nephropathy. *Tohoku J Exp Med* 2005;206(2):163–71.
11. Jiao JA, Kelly AB, Marzec UM, Nieves E, Acevedo J, Burkhardt M, Edwards A, Zhu XY, Chavaillaz PA, Wong A, Wong JL, Egan JO, Taylor D, Rhode PR, Wong HC. Inhibition of acute vascular thrombosis in chimpanzees by an anti-human tissue factor antibody targeting the factor X binding site. *Thromb Haemost* 2010;103(1):224–33.
12. Love Julia. Hypertension in diabetes. *Austral. Prescriber* 2002;25(1):8–10.
13. Manduteanu I, Pirvulescu M, Gan AM, Stan D, Simion V, Dragomir E, Calin M, Manea A, Simionescu M. Similar effects of resistin and high glucose on P-selectin and fractalkine expression and monocyte adhesion in human endothelial cells. *Biochem Biophys Res Commun* 2010;391(3):1443–8.
14. Polgar J, Matuskova J, Wagner DD. The P-selectin, tissue factor, coagulation triad. *J Thromb Haemost* 2005;3:1590–6.
15. Warren-Boulton E, Eastman RC. Current treatment goals for type 2 diabetes. *Home Healthcare Consultant* 2001;8(6):18–24.

16. Yngen M, Norhammar A, Hjemdahl P. Effects of improved metabolic control on platelet reactivity in patients with type 2 diabetes mellitus following coronary angioplasty. *Diab Vasc Dis Res* 2006;3:52–6.