

## References

1. Aronov DM, Lupanogov VP. *Atheroscleroz i dislipidemii – Atherosclerosis and dyslipidemia* 2011;1:48–56.
2. Barnaulov OD. *PFBN*. 2008;3 – URL:<http://cyberleninka.ru>
3. Bratus VV, Talaeva TV. – K.:Chetverta khvilia, 2006:21–44.
4. Tarahovskii Iu S, Kim Iu A, Abdrasilov VS, Mufazarov EN. – Pushchino: Synchronbook, 2013.310 p.
5. Bazu A, Du M, Leyva M, Sanchez K, Betts NM, Wu M, Aston CE, Lyons TJ. Blueberries Decrease Cardiovascular Risk Factors in Obese Men and Women With Metabolic Syndrome. *Am J Nutr* 2010;140:1582–7.
6. Cassidy A, Mukamal KJ, Liu L, Eliassen AH, Rimm EB. High Anthocyanin Intake is Associated With a Reduced Risk of Myocardial Infarction in Young and Middle-Aged Women. *Circulation* 2013;127:188–96.
7. Crouse JR, Raichlen JS, Riley WA, Evans GW, Palmer MK, O'Leary DH, Grobbee DE, Bots ML. Effect of Rosuvastatin on Progression of Carotid Intima-Media Thickness in Low-Risk Individual With Subclinical Atherosclerosis: The METEOR Trial. *JAMA* 2007;297:1344–53.
8. Greenland P, Smith SC, Grundy SM. Improving Coronary Heart Disease Risk Assessment in Asymptomatic People: Role of Traditional Risk Factors and Noninvasive Cardiovascular Test. *Circulation* 2001;104:1863–7.
9. Halle M, Berg A, Baumstark MW, Konig D, Hounker M, Keul J. Influence of mild to moderate elevated triglycerides on low density lipoprotein subfraction concentration and composition in healthy men with low high density lipoprotein cholesterol levels. *Atherosclerosis* 1999;143(1):185–92.
10. Howard BW, Van Horn L, Hsia J, Konig D, Hounker M, Keul J, Manson JE, Stefanick ME, Wassertheil-Smoller S, Kuller LH, LaCroix AZ. Low-Fat Dietary Pattern and Risk of Cardiovascular Disease. The Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA* 2006;295:655–66.
11. Jacques P, Cassidy A, Roger G, Peterson J, Meigs J, Dwyer J. Higher Dietary Flavonol Intake is Associated with Lower Incidence of Type 2 Diabetes. *J Nutr* 2013;143:1474–80.
12. Jennings A, Welch AA, Spector T, Macgregor A, Cassidy A. Intakes of Anthocyanins and Flavones Are Associated with Biomarkers of Insulin Resistance and Inflammation in Women. *J Nutr* 2013 as doi:10.3945/jn.113.184358.
13. Karlsen M, Halvorsen B, Holte K, Bonn S, Dragland S, Sampson L, Willey C, Senno H. The total antioxidant content of more than 3100 foods, beverages, spices, herbs and supplements used worldwide. *Nutrition J* 2010;9:1–11.
14. Lehtonen HM, Suomelf JP, Tahvonon R, Yang B, Venojarvi M, Viikari J, Kallio H. Different berries and berry fraction have various but slightly positive effect on the associated variables of metabolic disease on overweight and obese women. *Eur J Clin Nutr* 2011;65:394–401.

15. Mayray A, Felginas C, Morand C, Mazur A, Scalbert A, Milenkovic D. Nutrigenomic analysis of the protective effect of bilberry anthocyanin-rich extract in apo E-deficient mice. *Genes Nutr* 2010;5:343–53.
16. Mayray A, Felginas C, Morand C, Mazur A, Scalbert A, Milenkovic D. Bilberry anthocyanin-rich extract alters expression of genes related to atherosclerosis development in aorta of apo E-deficient mice. *Nutr Metab Cardiovasc Dis* 2012;22:72–80.
17. Mink PJ, Scrafford CG, Barraj LM, Harnack L, Hong C-P, Nettleton A, Jacobs D. Flavonoid intake and cardiovascular disease mortality: a prospective study in postmenopausal women. *Am J Clin Nutr* 2007;85:895–909.
18. Patel CJ, Cullen MR, Joannidis JPA, Butte AJ. Systematic evaluation of environmental factors: persistent pollutants and nutrients correlated with serum lipid levels. *Int J Epidemiol* 2012;41:828–43.
19. Qin Y, Xia M, Ma J, Yfj Y, Liu J, Mou H, Cao L, Ling W. Anthocyanin supplementation improves serum LDL – and HDL-cholesterol concentrations associated with the cholesterol ester transfer protein in dyslipidemic subject. *Am J Clin Nutr*. 2009;90:485–492.
20. Riso P, Klimis-Zacas D, Del Bo C, Martini D, Compolo J, Vendrame S, Moller P, Loft S, De Maria P. Effect of the wild blueberry (*Vaccinium angustifolium*) drink intervention on markers of oxidative stress. Inflammation and endothelial function in human with cardiovascular factors. *Eur J Nutr* 2012.– as doi: 10.1007/s00394-012-0402-9.
21. Soltani R, Hakimi M, Asgary S, Ghanadian S, Keshvari M, Sarrafzadegan N. Evaluation of the Effects of *Vaccinium Arctostaphylos* L. Fruit extract on Serum Lipids and hs-CRP Levels and Oxidative Stress in Adult Person With Hyperlipidemia: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. *Evid Based Complement Alternat Med* – 2014. – asdoi: 10.1155/2014/217451.
22. Stull AJ, Cash C, Johnson WD, Champagne CM, Cefalu WT. Bioactives in blueberries improve insulin sensitivity in obese, insulin-resistant men and women. *Am J Nutr* 2010;140:1764–8.
23. Zafra-Stone S, Yasmin T, Bagchi M, Chatterjee A, Vinson JA, Agchi D, Bary A. Berry anthocyanins as a novel antioxidants in human health and disease prevention. *Mol Nutr Food Res* 2007;51:675–83.